









Product Photo	Ultrasonic Cleaner		Specifications	
	MOQ (1000pcs)		Model No.	GA01
		Product Size	211x100.8x60.2mm	
		Stainless Steel Tank Size	158x68.5x38.5mm	
	<b>Features</b>		Color	White & Grey
	<p>1. 345ml capacity.  2. Innovative design cleaner, portable size and simple touch control button innovative design.  3. 45±5KHz high frequency vibration cleaning won't damage your valuables.  4. One button initiates ultrasonic cleaner machine 3 minute auto-cleaning, easy to operate.  5. Food grade SUS304 stainless steel water tank.  6. Wide range applications: ultrasonic cleaner for jewelry, watch, denture, glasses, coin, lab instruments cleaner and more.  7. German Red Dot Design Award.  8. AC Adapter</p> <p>Please note that this model is subject to exclusive distribution agreements in the European region (covering Amazon, retail chains, and Kaufland) and in Japan; sales in these regions are prohibited.</p>		Capacity	345ml
			Rated power	15W
			Rated voltage	12VDC
			Rated frequency	45±5KHz
			Power Supply	AC Adaptor
			Control Type	Touch Control
			Noise	≤50dB(A)
			Timing	180s
	HS CODE	8509809000	<b>Packing Datas</b>	
	Packing Method	1pc/color box, 20pcs/ctn	Inner Box Size	280x130x80mm
Carton Size	540x310x450mm	Net Weight	345g	
Gross Weight Inner box	670g	Gross Weight Carton	14.6kg	


Product Photo	Ultrasonic Cleaner		Specifications	
	MOQ (1000pcs)		Model No.	GL04
			Product Size	206x104x78.5mm
			Tank Size	187.9x82.3x40.4mm
			Color	Light brown+brown+white
			Capacity	440ml
			Rated power	20W
	<b>Features</b>		Rated voltage	12VDC
	1.45±5KHz high frequency vibration cleaning 2.Low noise design 3.Type-c interface, wide applicability 4.One key to start up, automatic stop after 3-minute operation 5.304 stainless steel tank 6.Transparent and visual top cover design	Rated frequency	45±5KHz	
		Power Supply	Adapter	
		Control Type	Touch Control	
		Noise	≤ 60dB(A)	
		Timing	180s	
HS CODE		8479899990		
		<b>Packing Datas</b>		
		Packing Method	1pc/color box, 20pcs/ctn	
		Inner Box Size	238x180x103mm	
		Carton Size	491x376x552mm	
		Net Weight	350g	
		Gross Weight Inner box	645g	
		Gross Weight Carton	14kg	


Product Photo	Ultrasonic Cleaner		Specifications	
	MOQ (1000pcs)		Model No.	GW03
			Product Size	191x106.5x60.5mm
			Stainless Steel Tank Size	180x73x44mm
			Color	White
			Capacity	540ml
			Rated power	15W
	<b>Features</b>  1. 540ml big capacity cleaning tank. 2. Innovative design cleaner, portable size and simple touch control button innovative design. 3. 45±5KHz high frequency vibration cleaning won't damage your valuables. 4. One button initiates ultrasonic cleaner machine 3 minute auto-cleaning, easy to operate. 5. Food grade SUS304 stainless steel water tank. 6. Wide range applications: ultrasonic cleaner for jewelry, watch, denture, glasses, coin, lab instruments cleaner and more. 7. Supplied with cleaning basket for watches 8. AC adapter for safety use.	Rated voltage	DC 12V/2A	
		Rated frequency	45±5KHz	
		Power Supply	Adapter	
		Control Type	Touch Control	
Noise		≤50dB(A)		
Timing		180s		
HS CODE		8509809000		
<b>Packing Datas</b>				
Packing Method		1pc/color box, 20pcs/ctn		
Inner Box Size		215x127x80mm		
Carton Size	560*230*490mm			
Net Weight	410g			
Gross Weight Inner box	613g			
Gross Weight Carton	11.96kg			

Product Photo	Contact Lens Ultrasonic Cleaner		Specifications	
	MOQ (1000pcs)		Model No.	GM02
			Color	White
			Product Size	100x60x35mm
			Cleaning Tank Size	43.5x21.5x8.5mm
	<b>Features</b>	Capacity	7ml	
		Rated power	2W	
	<p>1.Compact and Portable  2.Ultrasonic Cleaning Technology  3.105KHZ high frequency vibration cleaning  4.Three - Mins Automatic Cleaning  5.Low noise design  6.Polymer lithium battery, being long endurance  7.Magnetically charged  8.IPX7 water-proof  9.Bacteria removed efficiency upto 99.9%  10. Protein removed efficiency upto 91.42%</p> <p><b>How Does It Work?</b>  The 105KHZ high frequency ultrasonic separates the air and water in the solution and generates 50~500µm micron-level bubbles. The bubbles expands and bursts under impact, the instant force is used to continuously flush the contact lenses to achieve all-round cleaning.</p>	Rated voltage	5V DC	
		Rated frequency	105±10KHz	
		Power Supply	Magnet Charging	
		Control Type	Touch Control	
		Noise	≤ 35dB(A)	
		Timing	180s	
		Battery capacity	450mAh	
		Using Time/ Full Charging	60±10 MINS/20±5 TIMES	
		Full Charing Time	3h±0.5h	
		Waterproof Level	IPX7	
	Main material	ABS+Food grade ABS		
Certification	CE,FCC, ROHS,PSE,IPX7			
	<b>Packing Datas</b>			
	Packing Method	1pc/color box, 50pcs/ctn		
	Inner Box Size	130x110x67mm		
	Mailing Box Size	140x120x75mm		
	Carton Size	620x310x410mm		
	Net Weight	0.108kg		
	Gross Weight Mailing box	0.341kg		
Gross Weight Carton	18.3kg			

Product Photo	Contact Lens Ultrasonic Cleaner		Specifications	
	MOQ (1000pcs)		Model No.	GMN2
			Color	Pink
			Rated Power	2W
	<b>Features</b>		Charging Voltage	5VDC
	<ol style="list-style-type: none"> <li>1. Small and portable; easy to put in your bag or pocket, wireless use, no burden to carry.</li> <li>2. One-key start, 5 minutes ultrasonic cleaning</li> <li>3. 110KHz frequency, no residue, no poison, more professional washing and care, always care for contact lenses.</li> <li>4. Effectively remove tear protein, brighten contact lenses, and protect the health of glasses.</li> <li>5. The cleaning chamber is made of antibacterial ABS material to create a sterile cleaning environment for the lens to prevent secondary pollution.</li> <li>6. Magnetic suction double cleaning chamber, easy to disassemble and clean. It can be replaced with a new one every 3 months, which is safe and hygienic.</li> <li>7. Built-in battery, rechargeable, can be used about 4 times after full charge (5mins/time)</li> </ol>	Rated frequency	110±10KHz	
		Product Size	63x42x40mm	
		Inner Size	45x20x10mm	
		Battery Capacity	150mAh (UN38.3, MSDS)	
		Timing time	5 minutes	
		Endurance time/times	25±5 minutes/5±1 times	
		Time to fully charge	1.5±0.5h	
		Capacity:	5ml	
		Main material	HIPS+ABS	
		Main use	cleaning contact lenses	
			<b>Packing Datas</b>	
	Packing Method	1pc/color box,50pcs/ctn		
Package Size	102x72x61mm			
Net Weight	0.063kg			
Gross Weight	0.125kg			
Carton Size	390x228x335mm			
Gross Weight Carton	6.8kg			

Product Photo	O-K Contact Lens Ultrasonic Cleaner		Specifications	
  	MOQ (1000pcs)		Model No.	GM05
			Color	White
			Product Size	100x60x35mm
			Cleaning Tank Size	43.5x21.5x8.5mm
	<b>Features</b>		Capacity	8ml
	<p>1.Compact and Portable  2.Ultrasonic Cleaning Technology  3.105KHZ high frequency vibration cleaning  4.Two-Mins Automatic Cleaning  5.Low noise design  6.Polymer lithium battery, being long endurance  7.Magnetically charged  8.IPX7 water-proof  9.Bacteria removed efficiency upto 99.9%  10. Protein removed efficiency upto 91.42%  11. Special soft holder and tweezers for O-K contact lens</p> <p><b>How Does It Work?</b>  The 105KHZ high frequency ultrasonic separates the air and water in the solution and generates 50~500µm micron-level bubbles. The bubbles expands and bursts under impact, the instant force is used to continuously flush the contact lenses to achieve all-round cleaning.</p> <p>Please note that this model is subject to exclusive distribution agreements in the European region (covering Amazon, retail chains, and Kaufland) ; sales in these regions are prohibited.</p>		Rated power	2W
			Rated voltage	5V DC
			Rated frequency	105KHz
			Power Supply	Magnet Charging
			Control Type	Touch Control
			Noise	≤ 35dB(A)
			Timing	180s
			Battery capacity	450mAh
			Using Time/ Full Charging	60±10 MINS/20±5 TIMES
			Full Charing Time	2h±0.5h
			Waterproof Level	IPX7
			Main material	ABS+Food grade ABS
Certification			CE,FCC, ROHS,PSE,IPX7	
		<b>Packing Datas</b>		
Packing Method	1pc/color box, 50pcs/ctn			
Inner Box Size	130x110x67mm			
Mailing Box Size	140x120x75mm			
Carton Size	610x310x350mm			
Net Weight	0.108kg			
Gross Weight Mailing box	0.341kg			
Gross Weight Carton	16kg			

Product Photo	Contact Lens Ultrasonic Cleaner		Specifications		
 <p data-bbox="179 1053 481 1340"><b>Wireless Charging Base</b> Auto-Charge on Placement – More Freedom</p>	MOQ (1000pcs)		Model No.	<b>GM06</b>	
			Color	White	
	Product Size	100x60x35mm			
	Cleaning Tank Size	43.5x21.5x8.5mm			
	Features		Capacity	7ml	
	<ol style="list-style-type: none"> <li>1.Compact and Portable</li> <li>2.Ultrasonic Cleaning Technology</li> <li>3.105KHZ high frequency vibration cleaning</li> <li>4. Automatic Cleaning</li> <li>5.Low noise design</li> <li>6.Polymer lithium battery, being long endurance</li> <li>7.Wire-less charger, upgrated protection for the charging port</li> <li>8.IPX7 water-proof</li> <li>9.Bacteria removed efficiency upto 99.9%</li> <li>10. Protein removed efficiency upto 91.42%</li> <li>11. Suitable for both hard/soft contact lens</li> </ol> <p><b>How Does It Work?</b> The 105KHZ high frequency ultrasonic separates the air and water in the solution and generates 50~500µm micron-level bubbles. The bubbles expands and bursts under impact, the instant force is used to continuously flush the contact lenses to achieve all-round cleaning.</p>	Rated power	2W		
		Rated voltage for device	5V DC, 0.5A		
		Rated frequency	105±10KHz		
		Power Supply	Battery		
		Control Type	Touch Control		
		Noise	≤ 35dB(A)		
		Timing	220s		
		Battery capacity	450mAh		
		Using Time/ Full Charging	19±5 TIMES		
		Full Charging Time	3h±0.5h		
Waterproof Level	IPX7				
Charger	Wire-less Charger				
Charger Size	100x60x13mm				
Charger Voltage	5V DC, 1A				
Main material	ABS+Food grade ABS				
Certification	CE,FCC, ROHS,IPX7				
Packing Datas					
Packing Method	1pc/color box, 50pcs/ctn				
Inner Box Size	130x110x63mm				
Carton Size	550x278x326mm				
Net Weight	161g				
Gross Weight Mailing box	to be advised				
Gross Weight Carton	to be advised				

Product Photo	Contact Lens Ultrasonic Cleaner		Specifications	
	MOQ (1000pcs)		Model	<b>GM11 (Main Unit)</b>
		Color	White	
	Rated Power	3W		
	<b>Features</b>		Rated Charging Voltage	5VDC
	<p>1.105KHz ultrasonic + UVC sterilization – kills 99.9% of bacteria, removes tear protein  2.One -touch start, 3-min fast cleaning – lenses feel like new  3.Wireless charging – auto-induction, leak-proof and safe  4.Sealed, leak-proof, compact design – built-in mirror for on-the-go care  5.2-hour charge, 17-day battery life  6.Silicone holder – fits soft &amp; RGP lenses, no scratches</p>		Rated Charging Current	0.4A
			Rated Frequency	105±10KHz
			Noise Level	<35dB(A)
			Timer Duration	3 minutes (Ultrasonic Cleaning + UVC Sterilization)
			Battery Capacity	800mAh (UN38.3, MSDS)
			Battery Life	17±5 cycles
			Charging Time	2.5h ± 0.5h
			Product Dimensions	86.5 × 87 × 38.5 mm
			Cleaning Tank Dimensions	L 43 × W 21 × H 9.5 mm
			Model	GM11 (Wireless Charging Base)
	Color	White		
	Rated Charging Voltage	5VDC		
	Rated Charging Current	1A		
<b>Packing Datas</b>		Packing Method	1pc/color box,48pcs/ctn	
Package Size	118×118×84mm			
Net Weight	171g			
Gross Weight	274g			
Carton Size	498×498×283mm			
Gross Weight Carton	13.8kg			